

1. Identification

Product Identifier 100-3, 100-3PR, 100-3 POR, 100-3 ME

100-5, 100-5PR, 100-5 POR, 100-5 ME 100-6, 100-6PR, 100-6 POR, 100-6 ME

100-8, 100-8SW, 100-8 SW PR

100-10, 100-10PR, 100-10 POR, 100-10 ME, 100-10 SW

100-12

100-14, 100-14PR, 100-14 POR, 100-14 ME

100-20, 100-20PR

100-22 POR

Synonyms PTFE Coated Woven Glass

Relevant identified use of the product

Use of the ProductIndustrial applications where high chemical and temperature resistance and

excellent release is required

Restriction on Use Not applicable.

Details of the supplier of the safety data sheet

Company Green Belting Industries Limited

Address Mississauga

ON L5T 2J3 Canada

Telephone +1 905 564 6712 (08:30 to 17:00 Eastern Standard Time)

E-mail address DL-CA-SDS-support@ammega.com

Emergency Telephone Number +1 905 564 6712 Available between the hours 08:30 to 17:00 (EST)

2. Hazard Identification

Classification of the Product

European Not a classified substance or mixture according to Regulation (EC)

Communities (EC) No. 1272/2008.

Not classified as dangerous according to Directive 67/548/EEC.

USANot a hazardous material as defined by 29 CFR1910.1200, OSHA Hazard

Communication Standard.

Canada Not a controlled product under WHMIS


Label Elements

Symbol None.

Signal WordNot Applicable.Hazard Statement(s)Not Applicable.

Precautionary Statement P261 – Avoid breathing any fume or dust that may be generated.

P264 - Wash hands thoroughly after handling.



Other Hazards

Use of this product is not normally considered hazardous, however material dust caused by cutting, sawing or sanding may cause eye or skin irritation. Processing at temperatures higher than 300°C can cause the evolution of particulate matter which can cause "polymer fume fever" which is a temporary condition that can cause flu-like symptoms and eye and respiratory irritation. The smoking of tobacco contaminated with PTFE can cause this condition. Processing at temperatures higher than 400°C will result in thermal decomposition of fluorinated thermoplastics and may release carbonyl fluoride which hydrolyses to hydrogen fluoride and carbon dioxide by reacting with moisture in the air. In all cases avoid exposure, move the individual to fresh air and consult a physician if severe.

3. Composition/Information on Ingredients

Chemical Nature of the Mixture

PTFE coated woven glass fabric

Substances

Not Applicable

Mixtures

Ingredient Name	CAS Number	% by Weight	Exposure Limites	Symbol	Risk Phrases
Polytetrafluoroethylene	9002-84-0	5.0-69.0	Not applicable	None	None
Glass Fiber (fiberglass cloth)	65997-17-3	31.0-95.0	OSHA PEL - 5 mg/m³d ACGIH TLV - 5mg/m³	None	None

The above product(s) are defined under the European Union's REACH (Registration, Evaluation, Authorization and Restriction of Chemicals) regulation as articles, and as such are exempt from the material safety data sheet provisions of 29 CFR 1910.1200(G)

None of the product components are intentionally released during their use when used as intended and in accordance with recommended specifications and parameters.

This product is REACH compliant and does not contain REACH SVHCs (Substances of Very High Concern) materials and is considered non-hazardous when used as intended and in accordance with recommended specifications and parameters.

For full text of the R-phrases mentioned in this Section, see Section 16.

For full text of the H-statements mentioned in this Section, see Section 16.



4. First Aid Measures

General Advice Never give anything by mouth to an unconscious person. When symptoms

persist or in all cases of doubt seek medical advice.

Inhalation N/A for material as supplied at room temperature and used as intended and

in accordance with recommended specifications and parameters. Processing at high temperature may generate fumes which can cause "polymer fume fever" leading to flu-like symptoms. Remove to fresh air and consult a

physician if severe.

Skin Contact Not normally considered hazardous, however material dust caused by

> cutting, sawing or sanding may cause skin irritation. Wash with plenty of soap and water. If irritation persists get medical attention.

Material dust caused by cutting, sawing or sanding may cause eye irritation. **Eye Contact**

Wash with plenty of soap and water. If irritation persists get medical attention.

Ingestion If swallowed get medical advice. Do not induce vomiting unless instructed to

do so by medical personnel.

Most important symptoms and effects, both acute and delayed

Local irritation.

The thermal decomposition vapours of fluorinated polymers may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco. Symptoms may be delayed. Repeated episodes of polymer fume fever may result in persistent lung effects. Inhalation of decomposition products from overheating may cause lung

irritation or shortness of breath.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire Fighting Measures

Suitable extinguishing media Water spray, Carbon dioxide (CO₂), Foam, Dry Chemical. Not applicable.

Unsuitable extinguishing media

Specific hazards during fire fighting Hazardous thermal decomposition products.

Hydrogen fluoride, fluorinated compounds, carbon oxides,

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene and

trifluoromethane.

Exposure to decomposition products can be a hazard to health.

Special protective equipment for

firefighters

Wear self-contained breathing apparatus and protective suit. Wear neoprene gloves during cleaning up work after a fire.

Further information Protect from hydrogen fluoride fumes which react with water to form

hydrofluoric acid.

Observe local regulations when contaminated water and burning waste are

removed.



6. Accidental Release Measures

Personal precautions For solid product none required.

For any dusts and fibers generated during processing use protective

equipment to prevent the contamination of skin, eyes, and clothing.

Environmental Precautions N/A - solid product.

Methods and materials for containment and cleaning up

For solid product collect with hands broom and shovel and place in

non-hazardous waste collection container for disposal.

For dusts and fibers generated during fabrication vacuum up and

containerize.

Reference to other sections For disposal instructions see section 13.

7. Handling and Storage

Precautions on safe handling

Solid product which presents minimal hazards to personnel when handling in accordance with operating and storage recommendations.

The primary health hazards associated with this product are the generation of fibrous dust during processing fabrication and the inhalation of thermal decomposition products when the product is subjected to temperatures

greater than 300°C.

Provide appropriate exhaust ventilation at places where dust or volatiles

can be generated.

Wash hands thoroughly before smoking as tobacco contaminated with PTFE

can cause "polymer fume fever".

Advice on protection against fire and

explosion

Dispose of in accordance with local regulations as a solid non-hazardous waste and avoid inappropriate disposal practices.

Do not incinerate polytetrafluoroethylene (PTFE) waste.

Provide appropriate exhaust ventilation at places where dust or volatiles can

be generated.

Requirements for storage areas and

containers

No special precautions necessary, but recommend storing in a dry cool place

and protecting from contamination.

Advice on common storage

No special restrictions on storage with other products. Keep away from

tobacco products.

Storage temperature

No special restrictions.

Other data

Do not store in direct sunlight or in conditions of high humidity.



8. Exposure controls/personal protection

Control Parameters

In situations in confined spaces where the temperature exceeds 500°F (260°C), thermal degradation products may be produced. Exposure limits for these products, which include carbon monoxide, carbon dioxides, low molecular weight hydrocarbons and silicone dioxide, must not be exceeded.

	TLV TWA	TLV STEL	IDLH (NIOSH)
perfluoroisobutylene	10ppb	-	-
carbonyl fluoride	2ppm TWA	5ppm	-
hydrogen fluoride	0.5ppm	2ppm ceiling	30ppm

In situations where high levels of airborne dust/glass fibers are present specified exposure limits must not be exceeded

15mg/m³ – (total dust

Engineering measures

Eye protection

Hand protection

Skin and body protection

Hygiene measures

OSHA-PEL

5mg/m³- nuisance dust PEL (respirable dust fraction) 15mg/m³ - 8h TWA (total dust fraction)

ACGIH-TLV 5mg/m³ - 8h TWA

(inhalable)

1 fiber/cm³ - 8h TWA
(respirable)

Other

3 x 10⁶ fibers/m³ 10h TWA (NIOSH)

If cutting, sawing or sanding of the product is necessary, to maintain exposures below recommended limits, a properly designed dust collection system is recommended at the operation source. Adequate ventilation must be provided when working with the product at elevated temperatures.

Throughout basic product handling processes, and whenever handling materials containing fiberglass, safety glasses, goggles or face shields should be worn.

Throughout basic product handling processes, leather or synthetic fiber gloves are recommended to minimize cuts and abrasions.

The wearing of a loose fitting long sleeved shirt that covers to the base of the neck and long trousers is recommended to minimize exposure to fiberglass. Skin irritation from exposure to fiberglass is known to occur mostly at pressure points such as around the neck, wrist and waist.

Handle in accordance with good industrial hygiene and safety practices. Wash hands immediately after handling the product and do not contaminate tobacco products.

Be careful not to rub or scratch areas irritated from fiberglass exposure, as fibers may be forced into the skin. Wash off any fiberglass in contact with the skin, and consider the use of barrier creams which can minimize irritation.

Always use vacuum equipment to remove fibers and dust from clothing and never use compressed air.

Contaminated clothes should always be washed separately.



Respiratory protection Not required for normal use of the product.

> In situations where high levels of airborne dust/glass fibers are present and which exceed permissible exposure limits, or irritation occurs, then a correctly fitting NIOSH/MHSA approved disposable dust respirator should be used.

> In situations in confined spaces where the temperature of the product exceeds 500°F (260°C), an air supplied respirator should be used.

> In situations where high levels of airborne dust/glass fibers or fume, use industrial hygiene monitoring to ensure that TLV or PEL values are not exceeded.

> Excessive exposure to thermal degradation products could result in delayed pulmonary edema and in some cases, and on very high exposure damage to the liver and kidneys. These substances may include perfluoroisobutylene (TLV = 10ppb), carbonyl fluoride (TLV = 2ppm TWA, 5ppm STEL), hydrogen fluoride (TLV = 2ppm ceiling, 0.5ppm TWA).

> > Not applicable

9. Physical and Chemical Properties

Appearance: Light tan, various Upper/lower flammability or

thicknesses explosive limits:

Physical state: Solid Flammability (solid, gas): Not applicable **Odour:** Odourless Vapour pressure: Not applicable Odour threshold: Not applicable Vapour density: Not applicable

Not applicable Relative density: Not data available pH:

Melting point/freezing point: Not applicable Solubility(ies): Insolube

Flash point: Not applicable **Auto-ignition temp:** Not applicable

Initial boiling point and

Partition coefficient boiling range: Not applicable n-octanol/water: Not applicable **Evaporation rate:** Not applicable **Decomposition temp:** 572°F (300°C)

Viscosity: Not applicable

10. Stability and Reactivity

Reactivity Stable at normal ambient temperature and pressure.

Chemical stability Product is chemically stable.

Possible hazardous reactions Stable under recommended storage conditions.

Conditions to avoid Avoid heating for prolonged periods above the recommended

upper usage limit.

Incompatible materials Alkali metals, Strong oxidizing agents, Halogenated compounds.

Hazardous decomposition products May include:

> Fluorinated hydrocarbons, Carbonyl fluoride, Hydrogen fluoride, carbon oxides, perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene,

trifluoromethane.



11. Toxicological Information

Acute oral toxicity Polytetrafluoroethylene

LD50 / rat : > 11,280 mg/kg

Primary Routes of Potential Exposure

Skin irritation May cause skin irritation in susceptible persons.

Polytetrafluoroethylene Polytetrafluoroethylene

Human Rabbit

Classification: Not classified as Classification: Not classified as

irritant irritant

Result: No skin irritation Result: No skin irritation

Eye irritation Mild eye irritation

Sensitization Polytetrafluoroethylene

Human

Classification: Not a skin sensitizer. Result: Does not cause skin sensitization.

Patch test on human volunteers did not demonstrate sensitization properties.

Repeated dose toxicity Polytetrafluoroethylene

Oral - feed rat - no toxicologically significant effects were found.

Mutagenicity assessment Polytetrafluoroethylene

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity assessment Polytetrafluoroethylene

Not classifiable as a human carcinogen

Toxicity to reproduction Polytetrafluoroethylene and Proprietary Additive

assessment No toxicity to reproduction

STOT-Single exposure

No data available.

STOT-Repeated exposure

No data available.

Aspiration hazard

Not applicable.

12. Ecological Information

Toxicity Toxicity to fish (Polytetrafluoroethylene) - the substance is a polymer and is

not expected to produce toxic effects.

Persistence and degradability

Bio-accumulative potential

Mobility in soil

Results of PBT and vPvB assessment

No data available.

No data available.

Additional ecological information No data is available on the product itself.



13. Disposal Considerations

Waste treatment methods

Product Where possible recycling is preferred to disposal or incineration. Dispose of

in accordance with local regulations. Incinerate only if incinerator is capable of scrubbing out hydrogen fluoride and other acidic combustion products.

14. Transport Information

DOT

UN Number Not Applicable.

Proper Shipping Name Not Applicable.

Transport hazard class(es) Not Applicable.

Packing group Not Applicable.

Environmental Hazards None.

ADR

UN NumberNot Applicable.Proper Shipping NameNot Applicable.Transport hazard class(es)Not Applicable.Packing groupNot Applicable.

Environmental Hazards None.

IATA/ICAO

UN NumberNot Applicable.Proper Shipping NameNot Applicable.Transport hazard class(es)Not Applicable.Packing groupNot Applicable.

Environmental Hazards None.

IMO/IMDG

UN Number Not Applicable.

Proper Shipping Name Not Applicable.

Transport hazard class(es) Not Applicable.

Packing group Not Applicable.

Environmental Hazards None.

Special precautions for userNot classified as dangerous in the meaning of transport.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Not Applicable.



15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

USA

TSCA StatusAll ingredients in the product are listed in the TSCA inventory

SARA Title III

Sec. 303/304 None.

Sec. 311/312Not applicable.Sec 313Not applicable.CERCLA RQNot applicable.

California Prop 65 This product does not contain chemicals known to the State of California to

cause cancer of the reproductive system.

State Right-to-Know Lists Massachusetts, New Jersey, Pennsylvania: This product does not contain

any chemicals listed for state right to know purposes.

CANADAThis product has been classified in accordance with the hazard criteria of the

Controlled Products Regulations and the SDS contains all the information

required by the Controlled Products Regulations.

WHMIS Classification Not controlled.

(for workplace exposures)

New Substance All ingredients in this product are listed, as required, on Canada's Domestic

Notification Regulations Substances List (DSL).

NPRI Substances Not applicable.

EC Classification for the EC Substance/Preparation

Symbol This product is not classified as dangerous according to Directive 1999/45/

EC and its amendments.

German Water Hazard Class German Water Hazard Class WGK nwg. Non-water polluting substance.

Other regulationsTake note of Directive 98/24/EC on the protection of the health and safety of

workers from the risks related to chemical agents at work.

Chemical Safety Assessment No data available.



16. Other Information

Text of R-phrases referred to in

Section 3

Not Applicable.

Text of H-Statements referred to in

Section 3

Not Applicable.

Preparation Information

Prepared byGreen Belting Industries Limited

www.greenbelting.com

Revision Date January, 25, 2023

Revision SummaryUpdated contact information, removed obsolete product and styling.

GHS requirements applied.

Abbreviations and acronyms

Section	Abbreviation	Description
2	CFR	Code of Federal Regulations
3	CAS	Chemical Abstracts Services
3	OSHA	Occupational Safety and Health Administration USA
3	ACGIH	American Conference of Governmental Industrial Hygienists
3	PEL	Permissible Exposure Limit
3	TLV	Threshold Limit Value
3	SVHC	Substances of Very High Concern
8	TWA	Time Weighted Average
8	STEL	Short-Term Exposure Limit
8	IDLH	Immediately Dangerous to Life or Health (NIOSH)
8	NIOSH	National Institute for Occupational Safety and Health
8	ppm	Parts per Million
8	ppb	Parts, per Billion
11	LD ₅₀	"Lethal Dose, 50%" or median lethal dose (amount of substance required bybody weight to kill 50% of the test population
11	STOT	Specific Target Organ Toxicity
12	PBT	Persistent, Bio-accumulative and Toxic
12	vPvB	Very Persistent and Very Bio-accumulative
14	DOT	Department of Transport
14	ADR	Agreement on Dangerous Goods
14	IATA	International Air Transport Association
14	ICAO	International Civil Aviation Organization
14	IMO	International Maritime Organization
14	IMDG	International Maritime Dangerous Goods
14	TSCA	Toxic Substances Control Act
15	SARA	Superfund Amendments and Reauthorization Act
15	CERCLA RQ	Comprehensive Environmental Response Compensation and Liability Act
15	WGK	German Water Hazard Class
15	WHMIS	Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.